

<p>Duloxetine Gastro-Resistant Tablets IP</p> <p>DxcOn 30 mg</p> <p>डी एक्स कोन-30 एम जी 10 X 10 TABLETS</p>		
<p>Composition : Each enteric coated tablet contains : Duloxetine Hydrochloride IP 30 mg eq. to Duloxetine Excipients q.s. Colour : Brilliant Blue Dosage : As directed by the Physician.</p> <p>Tablets should be swallowed whole not to be chewed or crushed.</p>	<p>Store in a cool, dry & dark place. Protect from light & moisture. Keep the medicine out of reach of children.</p> <p>CAUTION : Not to be sold by retail without the prescription of a Registered Medical Practitioner.</p>	<p><small>Manufactured by: Mascot Health Series Pvt. Ltd. At-Plot No. 52, Sec-6A, IIE, Sidcul, Haridwar-249403, Uttarakhand.</small></p>



Dxcon (Duloxetine 30 mg SR Tablet)

Product Overview:

Dxcon is a sustained-release tablet containing 30 mg of Duloxetine, which belongs to the class of medications known as serotonin-norepinephrine reuptake inhibitors (SNRIs). This medication is designed to release Duloxetine slowly over time to help maintain steady levels of the drug in the bloodstream.

Drug Class:

- **Duloxetine:** Serotonin-Norepinephrine Reuptake Inhibitor (SNRI)

Indications and Uses:

Dxcon is indicated for the following conditions:

- Major Depressive Disorder (MDD)
- Generalized Anxiety Disorder (GAD)
- Diabetic Peripheral Neuropathic Pain
- Fibromyalgia
- Chronic Musculoskeletal Pain

Dosage and Administration:

- The usual recommended dose is one 30 mg SR tablet once daily.
- It can be taken with or without food.
- It is important to follow your healthcare provider's directions regarding the duration of treatment.

Common Side Effects:

- Nausea
- Dry mouth
- Fatigue
- Constipation
- Dizziness
- Insomnia

Less Common Side Effects:

- Increased blood pressure
- Sweating
- Blurred vision
- Muscle pain
- Weight changes

Warnings and Precautions:

- Do not exceed the recommended dosage.
- Inform your doctor of any other supplements or medications you are taking.
- Monitor blood pressure regularly, as this medication can increase blood pressure in some patients.
- If you experience any severe side effects, discontinue use and consult your doctor.

- Pregnant or breastfeeding women should consult their healthcare provider before using this product.

Drug Interactions:

- Dxcon may interact with other medications, including MAO inhibitors, blood thinners, and certain antidepressants. Always inform your healthcare provider about any other medications you are taking.

Contraindications:

- Hypersensitivity to Duloxetine or any other ingredients in the tablet.
- Uncontrolled narrow-angle glaucoma.

Dos and Don'ts:

Dos:

- Take the medication as directed by your healthcare provider.
- Maintain a healthy lifestyle to complement the treatment.

Don'ts:

- Do not take more than the recommended dose.
- Avoid consuming alcohol while taking this medication, as it may increase the risk of liver damage.

Before Taking Dxcon:

- Discuss your complete medical history with your doctor, including any allergies or existing health conditions.
- Inform your doctor if you are pregnant, planning to become pregnant, or are breastfeeding.

Disclaimer:

This information is provided for educational purposes only and should not be used for self-medication. Always consult your doctor for appropriate medical advice and treatment. Do not alter the dosage prescribed by your healthcare provider.

Quality Product from Econ Healthcare

Contact Information:

- **Address:** 11, First Floor, Science City Road, Sola, Ahmedabad
- **Phone:** +91 635-6666-700
- **Email:** info@econhealthcare.net
- **Website:** www.econhealthcare.net

All rights reserved to Econ Healthcare.