

<p>Rx</p> <p>Levocetirizine Dihydrochloride &amp; Montelukast Tablets IP</p> <p><b>Lacetra</b> लार्सेट्रा Tablets</p> <p>10 X 10 Tablets</p>			

Each uncoated tablet contains :

Levocetirizine Dihydrochloride I.P.	5 mg.
Montelukast Sodium I.P.	10 mg.
Eq. to. Montelukast	Q.S.
Excipients	
Colour : Tartrazine	
Dose: As directed by the Physician	
Storage : Store protected from light & moisture, at a temperature not exceeding 30°C	

**Lacetra**  
लार्सेट्रा Tablets

Keep medicine out of reach of children

**SCHEDULE "H" PRESCRIPTION DRUG-CAUTION**  
Not to be sold by retail without the prescription of a Registered Medical Practitioner

Mfg. by :Shantam Pharmaceuticals Pvt. Ltd.  
546/2, At. Rakanpur, Ta. KaloI, Dist. Gandhinagar - 382 721  
www.shantampharmaceuticals.com



## Lacetra (Montelukast Sodium 10 mg + Levocetirizine Hydrochloride 5 mg Tablet)

**Product Overview:** Lacetra is a combination medication used for the management of allergies and asthma. It combines Montelukast, a leukotriene receptor antagonist, with Levocetirizine, an antihistamine. This formulation provides relief from symptoms associated with seasonal allergies and helps in the prevention of asthma attacks.

### Drug Class:

- **Montelukast:** Leukotriene Receptor Antagonist
- **Levocetirizine:** Antihistamine

### Indications and Uses:

Lacetra is indicated for:

- Relief of symptoms of allergic rhinitis such as runny nose, sneezing, and itching.
- Treatment of chronic urticaria (hives).
- Prevention and long-term management of asthma.

### Dosage and Administration:

- The usual recommended dosage is one tablet daily, taken in the evening, with or without food, or as prescribed by your healthcare provider.

- It is important to follow your doctor's instructions regarding the duration of treatment.

**Common Side Effects:**

- Drowsiness
- Headache
- Fatigue
- Dry mouth

**Less Common Side Effects:**

- Abdominal pain
- Dizziness
- Rash
- Cough

**Warnings and Precautions:**

- Do not exceed the recommended dosage.
- Avoid activities requiring mental alertness, such as driving, until you know how the medication affects you.
- Inform your doctor about any other medications or supplements you are taking.
- If you experience any adverse effects, discontinue use and consult your doctor.
- Use in pregnant or breastfeeding women should be based on a careful assessment by the healthcare provider.

**Drug Interactions:**

- Lacetra may interact with certain medications such as phenobarbital, phenytoin, and ritonavir. Always inform your healthcare provider about any other medications you are taking.

**Contraindications:**

- Hypersensitivity to Montelukast, Levocetirizine, or any other components of the product.
- Patients with severe renal impairment (less than 10 ml/min creatinine clearance).

**Dos and Don'ts: Dos:**

- Take the medication as directed by your healthcare provider.
- Inform your doctor if you have any existing medical conditions, such as liver or kidney issues.

**Don'ts:**

- Do not take more than the recommended dose.
- Avoid consuming alcohol while taking this medication, as it may increase drowsiness.

**Before Taking Lacetra:**

- Discuss your complete medical history with your doctor, including any allergies or existing health conditions.
- Inform your doctor if you are pregnant, planning to become pregnant, or are breastfeeding.

**Disclaimer:** This information is provided for educational purposes only and should not be used for self-medication. Always consult your doctor for appropriate medical advice and treatment. Do not alter the dosage prescribed by your healthcare provider.

**Quality Product from Econ Healthcare****Contact Information:**

- **Address:** 11, First Floor, Science City Road, Sola, Ahmedabad
- **Phone:** +91 635-6666-700
- **Email:** [info@econhealthcare.net](mailto:info@econhealthcare.net)
- **Website:** [www.econhealthcare.net](http://www.econhealthcare.net)

*All rights reserved to Econ Healthcare*