



ACECON-P TAB and ACECON-SP TAB

By Econ Healthcare Pvt Ltd

General Information

ACECON-P TAB and **ACECON-SP TAB** are premium-quality pharmaceutical products from Econ Healthcare Pvt Ltd. These medications are formulated to manage pain and inflammation effectively.

- **ACECON-P TAB** contains:
 - Aceclofenac 100 mg
 - Paracetamol 325 mg
- **ACECON-SP TAB** contains:
 - Aceclofenac 100 mg
 - Paracetamol 325 mg
 - Serrati`opeptidase 15 mg

These formulations provide comprehensive pain relief with anti-inflammatory and analgesic properties.

Drug Class

- **Aceclofenac:** Non-Steroidal Anti-Inflammatory Drug (NSAID)
 - **Paracetamol:** Analgesic and Antipyretic
 - **Serratiopeptidase:** Proteolytic Enzyme
-

Indications and Uses

- Management of pain and inflammation in conditions such as:
 - Osteoarthritis
 - Rheumatoid arthritis
 - Ankylosing spondylitis
 - Musculoskeletal pain
 - Post-surgical pain
 - Serratiopeptidase in ACECON-SP TAB aids in reducing swelling and inflammation.
-

Common and Less Common Side Effects

Common Side Effects:

- Nausea
- Vomiting
- Indigestion
- Diarrhea

Less Common Side Effects:

- Dizziness
- Skin rashes
- Liver enzyme alterations
- Abdominal discomfort

If any side effects persist or worsen, consult your doctor immediately.

Doses and Administration

- **Dosage:** As prescribed by your doctor. Typically, one tablet taken orally twice daily after meals.
 - **Administration:** Swallow the tablet whole with a glass of water. Do not crush or chew.
-

Warnings and Precautions

- Avoid alcohol as it may increase the risk of liver damage.
 - Use cautiously in patients with:
 - Liver or kidney disease
 - Cardiovascular issues
 - Gastric ulcers
 - Do not exceed the recommended dose.
-

Drug Interactions

- Avoid concurrent use with:
 - Other NSAIDs
 - Blood thinners (e.g., warfarin)
 - Corticosteroids
 - Certain antibiotics (e.g., ciprofloxacin)

Inform your doctor of all medications, supplements, or herbal products you are using.

Contraindications

- Hypersensitivity to Aceclofenac, Paracetamol, Serratiopeptidase, or any excipients in the tablet.
 - History of gastrointestinal bleeding or perforation.
 - Severe liver or kidney impairment.
-

Do's and Don'ts

Do's:

- Take the medication as prescribed by your doctor.
- Inform your doctor of any pre-existing conditions.
- Store in a cool, dry place away from direct sunlight.

Don'ts:

- Do not self-medicate or alter the prescribed dose.
 - Avoid taking on an empty stomach to prevent gastric irritation.
-

Before Taking ACECON-P/SP TAB

- Inform your doctor if you are:
 - Pregnant or breastfeeding.
 - Taking other medications, including over-the-counter drugs and supplements.
 - Experiencing liver or kidney problems.
-

Disclaimer

This information is for better understanding and is not a substitute for professional medical advice. Always follow your doctor's guidance regarding the use of this medication. Do not change the prescribed dosage or duration without consulting your doctor.

Contact Information

Econ Healthcare Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 635-6666-700

Email: info@econhealthcare.net

Website: www.econhealthcare.net

All Rights Reserved

All rights reserved to Econ Healthcare Pvt Ltd.