



<p>Rx</p> <p>Clopidogrel and Aspirin Tablets IP</p> <p>ACUGREL AS 75</p> <p>एक्यूग्रेल एएस 75</p> <p>10 x 10 Tablets</p>				<p>Each uncoated bilayered tablet contains:</p> <p>Clopidogrel Bisulphate IP 75 mg</p> <p>Aspirin IP 75 mg</p> <p>Colour: Red/White of Iron</p> <p>Coating: As directed by the Physician.</p> <p>Keep all medicines out of reach of children.</p> <p>Storage: Store protected from moisture, at a temperature not exceeding 25°C.</p>
				<p>SCHEDULE H PRESCRIPTION DRUG- CAUTION Not to be used by retail without the prescription of a Registered Medical Practitioner.</p>
				<p>Not to be used in children below 12 years of age except under medical advice.</p>
				<p>Do not take this product during the last three months of pregnancy unless directed by a doctor. Aspirin taken near the time of delivery may cause bleeding problems to both mother and child.</p>
				<p>Manufactured by: Pure & Cure Healthcare Pvt. Ltd. (A subsidiary of Humsa Drugs & Pharmaceuticals Ltd.) Plot No. 26A, 27-30, Sector-8A, I.I.E., SOCOL, Haridwar-249 402, Uttarakhand.</p>

<p>Rx</p> <p>Clopidogrel and Aspirin Tablets IP</p> <p>ACUGREL AS 150</p> <p>एक्यूग्रेल एएस 150</p> <p>10 x 10 Tablets</p>				<p>Each uncoated bilayered tablet contains:</p> <p>Clopidogrel Bisulphate IP 75 mg</p> <p>Aspirin IP 150 mg</p> <p>Colour: Red/White of Iron</p> <p>Coating: As directed by the Physician.</p> <p>Storage: Store protected from moisture, at a temperature not exceeding 25°C.</p> <p>Keep out of reach of children.</p>
				<p>SCHEDULE H PRESCRIPTION DRUG- CAUTION Not to be used by retail without the prescription of a Registered Medical Practitioner.</p>
				<p>Not to be used in children below 12 years of age except under medical advice.</p>
				<p>Do not take this product during the last three months of pregnancy unless directed by a doctor. Aspirin taken near the time of delivery may cause bleeding problems to both mother and child.</p>
				<p>Manufactured by: Pure & Cure Healthcare Pvt. Ltd. (A subsidiary of Humsa Drugs & Pharmaceuticals Ltd.) Plot No. 26A, 27-30, Sector-8A, I.I.E., SOCOL, Haridwar-249 402, Uttarakhand.</p>

ACUGREL-AS 150 TAB and ACUGREL-AS 75 TAB

By Econ Healthcare Pvt Ltd

General Information

ACUGREL-AS 150 TAB and **ACUGREL-AS 75 TAB** are premium-quality medications from Econ Healthcare Pvt Ltd, designed to reduce the risk of cardiovascular events such as heart attacks and strokes.

- **ACUGREL-AS 150 TAB:** Contains Clopidogrel 75 mg + Aspirin 150 mg.
- **ACUGREL-AS 75 TAB:** Contains Clopidogrel 75 mg + Aspirin 75 mg.

These combination drugs work synergistically to prevent the formation of harmful blood clots, ensuring smooth blood flow through the arteries.

Drug Class

- **Clopidogrel:** Antiplatelet agent (P2Y12 inhibitor)
- **Aspirin:** Antiplatelet agent (COX inhibitor)

Indications and Uses

ACUGREL-AS tablets are prescribed for:

- Prevention of heart attacks and strokes in patients with:
 - Acute coronary syndrome (ACS)
 - A history of myocardial infarction or ischemic stroke
 - Peripheral artery disease
- Reducing the risk of blood clots in patients undergoing stent placement or other cardiovascular procedures.

Common and Less Common Side Effects

Common Side Effects

- Nausea
- Indigestion
- Stomach discomfort
- Bleeding gums

Less Common Side Effects

- Dizziness
- Fatigue
- Nosebleeds
- Skin rash or itching

If you experience any severe or persistent side effects, contact your doctor immediately.

Doses and Administration

- **Dosage:** Take as directed by your doctor. Commonly, one tablet daily after meals.
- **Administration:** Swallow the tablet whole with water. Do not crush or chew.

Warnings and Precautions

- Use cautiously in patients with a history of gastrointestinal bleeding or peptic ulcers.
- Avoid alcohol as it increases the risk of bleeding.
- Inform your doctor about any upcoming surgical or dental procedures.

- Not recommended during pregnancy or breastfeeding unless prescribed by a doctor.
-

Drug Interactions

- Avoid using with:
 - Other anticoagulants or blood thinners (e.g., Warfarin).
 - NSAIDs (e.g., Ibuprofen).
 - Certain antidepressants (e.g., SSRIs).
 - Inform your doctor about all medications, supplements, and herbal products you are taking.
-

Contraindications

- Hypersensitivity to Clopidogrel, Aspirin, or any components of the medication.
 - Active bleeding disorders (e.g., peptic ulcers, brain hemorrhage).
 - Severe liver or kidney impairment.
-

Do's and Don'ts

Do's

- Take the medication exactly as prescribed by your doctor.
- Inform your doctor about any medical history, including bleeding disorders.
- Store in a cool, dry place away from sunlight.

Don'ts

- Do not skip doses or stop taking the medication without consulting your doctor.
 - Avoid combining with alcohol or other blood-thinning medications without medical advice.
-

Before Taking ACUGREL-AS

- Inform your doctor if you have:
 - A history of bleeding disorders or ulcers.
 - Liver or kidney disease.
 - Allergies to Aspirin or Clopidogrel.
 - Let your doctor know if you are pregnant, planning to become pregnant, or breastfeeding.
-

Disclaimer

This information is provided for educational purposes and is not a substitute for medical advice. Always use this medication under the supervision of your doctor. Do not adjust the dosage or duration of use without consulting your healthcare provider.

Contact Information

Econ Healthcare Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 635-6666-700

Email: info@econhealthcare.net

Website: www.econhealthcare.net

All Rights Reserved

All rights reserved to **Econ Healthcare Pvt Ltd**.