



## CEFCON 2 GM INJ and CEFCON INJ

A Quality Product from Econ Healthcare Pvt Ltd

### General Information

**CEFCON 2 GM INJ** and **CEFCON INJ** are high-quality injectable antibiotics from **Econ Healthcare Pvt Ltd**, containing **Ceftriaxone 2 gm** and **Ceftriaxone 1 gm**, respectively. Ceftriaxone is a third-generation cephalosporin antibiotic that works by inhibiting bacterial cell wall synthesis, effectively killing bacteria and stopping their growth. This medication is used for the treatment of various bacterial infections and is administered under medical supervision in a clinical setting.

### Drug Class

- **Class:** Third-Generation Cephalosporin Antibiotic

## Indications and Uses

**CEFCON INJ** is used to treat a wide range of bacterial infections, including:

- Respiratory tract infections
  - Urinary tract infections (UTIs)
  - Skin and soft tissue infections
  - Bone and joint infections
  - Infections of the blood (septicemia)
  - Abdominal infections
  - Meningitis
  - Post-operative infections
- 

## Common and Less Common Side Effects

### Common Side Effects

- Pain or swelling at the injection site
- Nausea or vomiting
- Diarrhea
- Rash or itching

### Less Common Side Effects

- Headache
  - Dizziness
  - Elevated liver enzymes
  - Allergic reactions, such as facial swelling or difficulty breathing (seek immediate medical attention if this occurs)
- 

## Doses and Administration

- **Dose:** The dosage is determined by the doctor based on the severity of the infection, patient's age, weight, and kidney function.
  - **Administration:** Administered as an intramuscular or intravenous injection by a healthcare professional. Do not self-administer.
- 

## Warnings and Precautions

- Inform your doctor if you are allergic to Ceftriaxone, penicillins, or other cephalosporins.

- Use with caution in patients with kidney or liver impairment.
  - Monitor for signs of allergic reactions during treatment.
  - Avoid using in newborns with high bilirubin levels or premature infants.
  - Do not mix or co-administer Ceftriaxone with calcium-containing solutions.
- 

### **Drug Interactions**

Inform your doctor if you are taking any of the following:

- Calcium-containing IV solutions
  - Oral anticoagulants
  - Other antibiotics
  - Probenecid
- 

### **Contraindications**

- Known hypersensitivity to Ceftriaxone or cephalosporin antibiotics
  - Severe allergic reactions to penicillins
  - Neonates requiring calcium-containing IV solutions
- 

### **Dos and Don'ts**

#### **Dos**

- Take the medication exactly as prescribed by your doctor.
- Report any side effects or unusual symptoms to your healthcare provider.
- Ensure proper hydration during the treatment.

#### **Don'ts**

- Do not skip doses or discontinue the treatment course prematurely.
  - Avoid self-medicating or altering the dose without consulting a doctor.
  - Do not use expired or improperly stored medication.
- 

### **Before Taking CEFCON INJ**

- Inform your doctor if you are pregnant, planning to become pregnant, or breastfeeding.
- Share your complete medical history, especially related to allergies, liver or kidney problems, and any ongoing treatments.

---

**Disclaimer**

This information is for general awareness only and should not replace medical advice. Always use **CEFCON 2 GM INJ** and **CEFCON INJ** as directed by a healthcare professional. Do not change or stop the dosage prescribed by your doctor.

---

**Contact Information****Econ Healthcare Pvt Ltd**

**Address:** 11, First Floor, Science City Road, Sola, Ahmedabad

**Phone:** +91 635-6666-700

**Email:** [info@econhealthcare.net](mailto:info@econhealthcare.net)

**Website:** [www.econhealthcare.net](http://www.econhealthcare.net)

---

**All Rights Reserved**

All rights reserved to **Econ Healthcare Pvt Ltd**.