



Brand Name: CEFCON PLUS-1.5 INJ

Composition: Ceftriaxone 1 gm + Sulbactam 0.5 gm

General Information:

CEFCON PLUS-1.5 INJ is a combination antibiotic injection containing **Ceftriaxone**, a third-generation cephalosporin, and **Sulbactam**, a beta-lactamase inhibitor. This combination works synergistically to treat bacterial infections by inhibiting bacterial cell wall synthesis and neutralizing resistance mechanisms caused by beta-lactamase enzymes.

Class:

Antibiotic (Cephalosporin + Beta-lactamase Inhibitor).

Indications and Uses:

CEFCON PLUS-1.5 INJ is used to treat a variety of bacterial infections, including:

- Respiratory tract infections.

- Urinary tract infections (UTIs).
 - Skin and soft tissue infections.
 - Intra-abdominal infections.
 - Bone and joint infections.
 - Sepsis and meningitis.
-

Common and Less Common Side Effects:

Common Side Effects:

- Pain or swelling at the injection site.
- Diarrhea.
- Nausea or vomiting.

Less Common Side Effects:

- Rash or itching.
 - Headache.
 - Dizziness.
 - Rare allergic reactions (e.g., anaphylaxis).
-

Doses and Administration:

CEFCON PLUS-1.5 INJ should be administered intramuscularly (IM) or intravenously (IV) under medical supervision. Dosage depends on the severity of the infection and the patient's age and weight.

Warnings and Precautions:

- Do not use if you are allergic to Ceftriaxone, Sulbactam, or similar antibiotics.
 - Use with caution in patients with a history of gastrointestinal diseases like colitis.
 - Regular monitoring may be required for patients with liver or kidney impairments.
 - Inform your doctor if you are pregnant or breastfeeding before use.
-

Drug Interactions:

CEFCON PLUS-1.5 INJ may interact with:

- Anticoagulants (e.g., Warfarin).
- Calcium-containing IV solutions.

- Other antibiotics.
Discuss your medication history with your doctor before administration.
-

Contraindications:

- Hypersensitivity to cephalosporins, penicillins, or any formulation component.
 - Neonates with hyperbilirubinemia or concurrent calcium-containing IV therapy.
-

Dos and Don'ts:**Dos:**

- Follow the prescribed dosage strictly.
- Inform your doctor about any medical history or ongoing medications.

Don'ts:

- Do not skip doses or discontinue the treatment prematurely.
 - Avoid alcohol during the treatment course to prevent adverse reactions.
-

Before Taking:

- Inform your doctor of any allergies, ongoing medications, or medical conditions.
 - Ensure you complete the full course to prevent resistance.
-

About Econ Healthcare Pvt Ltd:

CEFCON PLUS-1.5 INJ is a quality product from **Econ Healthcare Pvt Ltd**, crafted to meet the highest standards in patient care.

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Contact: +91 635-6666-700

Email: info@econhealthcare.net

Website: www.econhealthcare.net

Disclaimer:

This information is for educational purposes and should not replace medical advice. Always use this medication under your doctor's guidance. Never alter or stop prescribed doses without consulting your doctor.

All rights reserved to Econ Healthcare Pvt Ltd.