



<p>Rx Amoxycillin and Potassium Clavulanate Tablets IP 625 mg</p> <p><b>CLAV-AMO</b> क्लेव-एमो Tablets</p> <p>10 x 10 Tablets</p>										

Each film coated tablet contains :  
Amoxycillin Trihydrate IP  
eq. to Amoxycillin 500 mg  
Potassium Clavulanate Diluted IP  
eq. to Clavulanic Acid 125 mg  
Colour : Titanium Dioxide IP  
Dosage : As directed by the Physician.  
Storage :  
Store protected from light & moisture,  
at a temperature not exceeding 25°C.  
Keep all medicines out of reach of children.

**SCHEDULE H PRESCRIPTION DRUG - CAUTION**  
Not to be sold by retail without the prescription  
of a Registered Medical Practitioner.

Manufactured by :  
Malik Lifesciences Pvt. Ltd.  
(A subsidiary of  
**Akums Drugs & Pharmaceuticals Ltd.**)  
Plot No.16, Varohman Indl. Estate, Vill- Bahadarpur  
Saini, N.H.58, Haridwar-247667 (Uttarakhand)

## CLAV-AMO TAB

**Composition:** Amoxicillin 500mg + Potassium Clavulanate 125mg

### General Information:

CLAV-AMO TAB is a combination antibiotic belonging to the **penicillin class**. Amoxicillin is a broad-spectrum antibiotic that works by inhibiting bacterial cell wall synthesis, while Potassium Clavulanate enhances its effectiveness by preventing bacterial resistance through beta-lactamase inhibition. Together, they provide powerful and reliable treatment against various bacterial infections.

### Indications and Uses:

CLAV-AMO TAB is used to treat a wide range of bacterial infections, including:

- Respiratory tract infections (e.g., sinusitis, bronchitis, pneumonia)
- Urinary tract infections
- Skin and soft tissue infections
- Bone and joint infections

- Dental infections
- 

### **Common and Less Common Side Effects:**

#### **Common side effects:**

- Nausea
- Diarrhea
- Vomiting

#### **Less common side effects:**

- Rash
- Headache
- Fatigue
- Mild abdominal discomfort

If any side effects persist or worsen, consult your doctor immediately.

---

### **Doses and Administration:**

- Take CLAV-AMO TAB as prescribed by your doctor.
  - Typically taken twice daily, preferably after food to minimize stomach upset.
  - Do not crush or chew the tablet; swallow it whole with water.
- 

### **Warnings and Precautions:**

- Inform your doctor about any history of allergies, especially to penicillin or cephalosporins.
  - Use with caution in patients with kidney or liver impairment.
  - Avoid skipping doses to ensure effective treatment and prevent resistance.
- 

### **Drug Interactions:**

- May interact with oral contraceptives, reducing their effectiveness.
  - Should not be used alongside allopurinol or probenecid without medical advice.
- 

### **Contraindications:**

- Hypersensitivity to amoxicillin, clavulanate, or any other penicillin antibiotics.
- History of liver dysfunction associated with previous amoxicillin-clavulanate use.

---

**Dos and Don'ts:****Dos:**

- Follow the full course of the medication even if symptoms improve.
- Stay hydrated while on this medication.

**Don'ts:**

- Do not share this medication with others, even if their symptoms are similar.
- Avoid alcohol during the treatment course.

---

**Before Taking CLAV-AMO TAB:**

- Inform your doctor if you are pregnant, planning to conceive, or breastfeeding.
- Discuss any existing medical conditions, especially kidney or liver issues.
- Share details of all current medications, including supplements.

---

CLAV-AMO TAB is a **quality product from Econ Healthcare Pvt Ltd**, ensuring safety and efficacy for patients. For more information, contact us:

- **Address:** 11, First Floor, Science City Road, Sola, Ahmedabad
- **Phone:** +91 635-6666-700
- **Email:** info@econhealthcare.net
- **Website:** [www.econhealthcare.net](http://www.econhealthcare.net)

**Disclaimer:** This information is for educational purposes only and should not replace medical advice. Always consult your doctor before using any medication. Do not alter or stop prescribed doses without medical supervision.

**All rights reserved to Econ Healthcare.**