



DAPACOOL-GM 2 TAB

Composition:

- Dapagliflozin: 10 mg
- Glimepiride: 2 mg
- Metformin: 500 mg

General Information:

DAPACOOL-GM 2 TAB is a comprehensive oral medication designed to manage Type 2 Diabetes Mellitus effectively. This triple-action formula combines the benefits of three active ingredients:

- 1. **Dapagliflozin**: A sodium-glucose cotransporter-2 (SGLT2) inhibitor that reduces blood glucose by promoting its excretion through urine.
- 2. Glimepiride: A sulfonylurea that stimulates the pancreas to produce more insulin.
- 3. **Metformin**: A biguanide that decreases glucose production in the liver and improves insulin sensitivity.

Indications and Uses:

DAPACOOL-GM 2 TAB is indicated for the treatment of Type 2 Diabetes Mellitus in adults when diet and exercise alone do not provide adequate glycemic control. It is suitable for patients requiring combination therapy to manage blood sugar levels effectively.

Common and Less Common Side Effects:

- **Common Side Effects:** Nausea, diarrhea, hypoglycemia (low blood sugar), and urinary tract infections.
- Less Common Side Effects: Headache, dizziness, increased urination, fatigue, or mild gastrointestinal discomfort.

Dosage and Administration:

- The dose should be individualized based on the patient's medical condition and blood sugar levels.
- Generally, it is taken once daily, preferably with meals to reduce gastrointestinal side effects.
- Do not crush or chew the tablet.

Warnings and Precautions:

- Regularly monitor blood sugar levels while on this medication.
- Use with caution in patients with kidney or liver impairment.
- Ensure adequate hydration to reduce the risk of dehydration due to increased urination caused by Dapagliflozin.

Drug Interactions:

- Avoid combining with other sulfonylureas or insulin to prevent severe hypoglycemia.
- Inform your doctor about any other medications or supplements you are taking to avoid potential interactions.

Contraindications:

- Hypersensitivity to any component of the medication.
- Patients with severe kidney or liver impairment.
- Not recommended during pregnancy or breastfeeding.

Dos and Don'ts:

Dos:

- Follow your doctor's instructions carefully.
- Maintain a balanced diet and regular exercise routine.
- Stay hydrated.

Don'ts:

- Do not skip doses or stop the medication abruptly without consulting your doctor.
- Avoid alcohol consumption while on this medication.

Before Taking DAPACOOL-GM 2 TAB:

- Inform your doctor if you have a history of kidney or liver disease, heart conditions, or any other chronic illnesses.
- Discuss all other medications you are taking, including over-the-counter drugs and supplements.

Quality Assurance from Econ Healthcare:

DAPACOOL-GM 2 TAB is a premium product from **Econ Healthcare Pvt Ltd**, manufactured with a commitment to quality and patient safety. **Contact Information:**

- Address: 11, First Floor, Science City Road, Sola, Ahmedabad.
- **Phone:** +91 635-6666-700
- Email: info@econhealthcare.net
- Website: <u>www.econhealthcare.net</u>

Disclaimer:

This information is for general purposes only. Medications should be used strictly as prescribed by a doctor. Do not alter or discontinue the prescribed dose without consulting a healthcare professional.

All Rights Reserved to Econ Healthcare