



Brand Name: GIMMY-M2 TAB Composition: Each tablet contains:

- Glimepiride 2mg
- Metformin 500mg SR

General Information:

GIMMY-M2 TAB is a combination medication that helps in managing Type 2 diabetes mellitus. It contains Glimepiride, a sulfonylurea, which stimulates the pancreas to release more insulin, and Metformin, a biguanide, which works by decreasing the amount of glucose produced by the liver and improving the body's response to insulin. This dual action helps in controlling blood sugar levels more effectively in people with Type 2 diabetes.

Drug Class:

- Glimepiride: Sulfonylurea
- Metformin: Biguanide

Indications and Uses:

GIMMY-M2 TAB is used to control blood sugar levels in Type 2 diabetes mellitus. It is typically prescribed to individuals whose blood sugar levels cannot be controlled by diet and exercise alone. This medication may be used alone or in combination with other anti-diabetic drugs.

Common Side Effects:

- Nausea
- Vomiting

- Abdominal discomfort
- Diarrhea
- Dizziness
- Headache

Less Common Side Effects:

- Hypoglycemia (low blood sugar)
- Lactic acidosis (a rare, but serious condition)
- Allergic reactions (rash, itching, swelling)

Dosage and Administration:

- **Recommended Dosage:** As prescribed by your doctor. Typically, GIMMY-M2 TAB is taken once daily with meals.
- Administration: Take the tablet with water, preferably with food to minimize stomach upset. Follow your doctor's instructions closely.

Warnings and Precautions:

- **Hypoglycemia:** Be cautious of low blood sugar, especially if you miss a meal, exercise excessively, or drink alcohol.
- Lactic Acidosis: A rare but serious side effect associated with Metformin. Seek immediate medical attention if you experience unusual fatigue, muscle pain, or difficulty breathing.
- **Kidney and Liver Function:** Monitor kidney and liver function regularly as this medication may not be suitable for individuals with impaired kidney or liver function.
- **Pregnancy and Breastfeeding:** Consult your doctor before taking this medication if you are pregnant or breastfeeding.

Drug Interactions:

- Alcohol can increase the risk of low blood sugar and lactic acidosis.
- Certain medications, like diuretics, corticosteroids, and other anti-diabetic drugs, may interact with GIMMY-M2 TAB. Inform your doctor of all medications you are taking.

Contraindications:

- Hypersensitivity to Glimepiride, Metformin, or any other ingredients in the tablet.
- Severe kidney or liver disease.
- History of lactic acidosis.

Dos and Don'ts:

- Do:
 - Monitor your blood sugar levels regularly.

- Follow your doctor's instructions regarding diet and exercise.
- Take the medication as prescribed.
- Don't:
 - Skip meals or take the medication on an empty stomach.
 - Drink excessive alcohol while on this medication.
 - Change the dosage without consulting your doctor.

Before Taking GIMMY-M2 TAB:

- Inform your doctor if you are allergic to Glimepiride or Metformin.
- Share your medical history, especially related to kidney or liver disorders, heart disease, and any other ongoing treatments.
- Discuss the use of any other medications, including over-the-counter drugs and supplements.

Quality Assurance:

GIMMY-M2 TAB is a quality product manufactured by **Econ Healthcare Pvt Ltd**, ensuring high standards of production and safety. Always trust in our commitment to providing you with effective and reliable healthcare solutions.

Contact Information:

Econ Healthcare Pvt Ltd Address: 11, First Floor, Science City Road, Sola, Ahmedabad Phone: +91 635-6666-700 Email: info@econhealthcare.net Website: <u>www.econhealthcare.net</u>

Disclaimer:

This product information is intended to provide general information about the product. Always consult your healthcare provider before starting any new medication. Do not change your dosage or discontinue the medicine without professional guidance.

All rights reserved to Econ Healthcare Pvt Ltd.