



Product Information for RECOTOR 40 MG TAB

Brand Name: RECOTOR

Active Ingredient: Rosuvastatin 40mg

General Information:

RECOTOR 40 MG TAB contains Rosuvastatin, a potent statin used primarily for managing high cholesterol and preventing cardiovascular diseases. Statins like Rosuvastatin work by blocking the enzyme responsible for cholesterol production in the liver, which helps reduce the levels of low-density lipoprotein (LDL) or "bad cholesterol" and triglycerides in the bloodstream, while increasing high-density lipoprotein (HDL) or "good cholesterol." This medication is used to lower cholesterol levels, reduce the risk of heart attack, stroke, and other cardiovascular events, and may be prescribed for individuals with familial hypercholesterolemia.

Class:

- **Statins (HMG-CoA reductase inhibitors)**

Indications and Uses:

- Treatment of high cholesterol (hyperlipidemia)
- Prevention of cardiovascular events (heart attacks, strokes) in patients at risk
- Treatment of familial hypercholesterolemia
- Used alongside diet, exercise, and other lifestyle changes

Common Side Effects:

- Headache
- Abdominal pain
- Muscle pain, tenderness, or weakness
- Constipation
- Nausea

Less Common Side Effects:

- Liver enzyme abnormalities
- Rashes
- Dizziness
- Joint pain

Dosage and Administration:

The recommended dose of RECOTOR is typically 10-40mg once daily. The dosage should be determined by the healthcare provider based on the patient's medical condition and response to treatment. It can be taken with or without food. It is important to follow the prescribed dosage and not to adjust the dose on your own.

Warnings and Precautions:

- Patients with liver problems, kidney impairment, or a history of muscle disorders should consult their doctor before taking RECOTOR.
- Regular monitoring of liver function and muscle health is recommended during treatment.
- Alcohol use can increase the risk of liver damage, so it should be consumed in moderation or avoided.
- Pregnant or breastfeeding women should not use this medication unless specifically prescribed by their healthcare provider.

Drug Interactions:

- Rosuvastatin may interact with other medications, including certain antibiotics, antifungals, and immunosuppressants.
- It is important to inform your doctor about all medications being taken, including over-the-counter drugs and supplements, to avoid potential interactions.

Contraindications:

- Known hypersensitivity to Rosuvastatin or any of its components
- Active liver disease or unexplained persistent elevations in liver enzymes
- Pregnancy and breastfeeding

Dos and Don'ts:

- **Do** take the medication exactly as prescribed by your doctor.

- **Do** inform your doctor of any other medications or health conditions you have.
- **Do** follow a healthy diet and exercise routine alongside taking this medication.
- **Don't** take more than the prescribed dose.
- **Don't** stop taking RECOTOR without consulting your doctor, even if you feel better.
- **Don't** consume excessive amounts of alcohol during treatment.

Before Taking:

Before starting treatment with RECOTOR, inform your doctor if you have:

- A history of liver or kidney disease
- Muscle pain or weakness
- Diabetes or thyroid disorders
- Any other cardiovascular conditions

Disclaimer:

This information is provided for general purposes and is not a substitute for medical advice. Please consult your healthcare provider before starting or changing the dosage of any medication. The use of RECOTOR should always be guided by your doctor's recommendations, and the prescribed doses should not be altered.

Quality Assurance:

RECOTOR 40 MG TAB is a high-quality product from **Econ Healthcare Pvt Ltd**, ensuring effectiveness and safety for patients.

Contact Information:

Econ Healthcare Pvt Ltd,
11, First Floor, Science City Road, Sola, Ahmedabad
Phone: +91 635-6666-700
Email: info@econhealthcare.net
Website: www.econhealthcare.net

All rights reserved to Econ Healthcare Pvt Ltd.