



℞

Telmisartan & Metoprolol Succinate (ER) Tablets

Telmicon-M 50
टेलमिसार्टान-एम ५० Tablets

10x10 Tablets

Composition :

Each film coated tablet contains :
Metoprolol Succinate IP 50 mg.
(As extended release form)
Telmisartan IP 40 mg.
Excipients q.s.
Colour : Titanium Dioxide IP

Dosage :

As directed by the Physician.

Store in a cool & dry place.

Protect from light & moisture
Keep the medicine out of reach of children.

Do not use in pregnancy.

SCHEDULE H PRESCRIPTION DRUG :
CAUTION : Not to be sold by retail without the prescription of a Registered Medical Practitioner.

Manufactured by: Mascot Health Series Pvt. Ltd.
At-Plot No. 52, Sec-6A, IIE, Sidcul,
Haridwar-249403, Uttarakhand.

TELMICON M-50 TAB

Composition: Telmisartan 40mg + Metoprolol 50mg

General Information

TELMICON M-50 TAB is a combination medication containing **Telmisartan**, an angiotensin receptor blocker (ARB), and **Metoprolol**, a beta-blocker. It is specifically designed for the effective management of hypertension (high blood pressure), helping to reduce the risk of cardiovascular complications such as heart attacks, strokes, and kidney damage.

Class

- **Telmisartan:** Angiotensin II Receptor Blocker (ARB)
- **Metoprolol:** Beta-Blocker

Indications and Uses

- Treatment of hypertension (high blood pressure)
- Prevention of cardiovascular complications like heart attack and stroke
- Management of heart failure and heart rate control

Common and Less Common Side Effects

Common Side Effects:

- Dizziness or lightheadedness
- Fatigue
- Nausea
- Slow heart rate

Less Common Side Effects:

- Low blood pressure (hypotension)
- Swelling of the hands, feet, or ankles
- Shortness of breath
- Sleep disturbances

Doses and Administration

- Administered orally with or without food, usually once daily or as directed by your doctor.
- The dosage is personalized based on the patient's medical condition and response to treatment.

Warnings and Precautions

- Avoid abrupt discontinuation of the medication to prevent rebound hypertension or other complications.
- Use with caution in patients with kidney, liver, or heart conditions.
- Regularly monitor blood pressure and heart rate during treatment.

Drug Interactions

- May interact with other blood pressure medications, anti-arrhythmic drugs, or NSAIDs.
- Inform your doctor about all other medications, supplements, or herbal products you are taking.

Contraindications

- Hypersensitivity to Telmisartan, Metoprolol, or any of the excipients.
- Severe bradycardia or heart block without a pacemaker.

- Patients with severe liver or kidney impairment.
-

Dos and Don'ts

Dos:

- Take the medication as prescribed by your doctor.
- Maintain a healthy diet and exercise routine for optimal results.
- Monitor your blood pressure regularly.

Don'ts:

- Do not skip doses or stop the medication without consulting your doctor.
 - Avoid alcohol, which can exacerbate side effects.
 - Refrain from activities requiring alertness if dizziness occurs.
-

Before Taking TELMICON M-50 TAB

- Inform your doctor about any pre-existing medical conditions, especially heart, liver, or kidney diseases.
 - Notify your doctor if you are pregnant, planning to become pregnant, or breastfeeding.
-

Econ Healthcare's Commitment

TELMICON M-50 TAB is manufactured with the highest quality standards by **Econ Healthcare Pvt Ltd**, ensuring efficacy and safety for patients.

Econ Healthcare Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad

Phone: +91 635-6666-700

Email: info@econhealthcare.net

Website: www.econhealthcare.net

Disclaimer

This information is for general understanding only and should not replace medical advice. Always take **TELMICON M-50 TAB** as prescribed by your doctor. Do not alter the dose without consulting your healthcare provider.

All Rights Reserved to Econ Healthcare