



# Brand Name: TELMICON-H TAB

Composition: Telmisartan 40 mg + Hydrochlorothiazide 12.5 mg

# **General Information:**

TELMICON-H TAB is a combination medication that contains **Telmisartan** (40 mg) and **Hydrochlorothiazide** (12.5 mg). Telmisartan is an **Angiotensin II receptor blocker (ARB)**, while Hydrochlorothiazide is a **thiazide diuretic**. This combination is used to treat high blood pressure (hypertension) and helps lower the risk of heart-related complications, such as heart attack, stroke, and kidney damage.

# Class:

- Telmisartan Angiotensin II Receptor Antagonist (ARB)
- Hydrochlorothiazide Thiazide Diuretic

# Indications and Uses:

TELMICON-H TAB is prescribed for the management of **hypertension** (high blood pressure). It works by relaxing the blood vessels and decreasing fluid retention, which helps lower blood pressure and prevents complications related to hypertension.

# **Common Side Effects:**

- Dizziness
- Fatigue
- Increased urination

- Low blood pressure
- Headache

### Less Common Side Effects:

- Electrolyte imbalance (e.g., low potassium levels)
- Dehydration
- Nausea or vomiting
- Muscle cramps

#### Doses and Administration:

- The usual recommended dose is **one tablet** taken once daily.
- It is advised to take this medication at the same time each day to help remember.
- Take the tablet with or without food, as directed by your doctor. Do not crush or chew the tablet.

### Warnings and Precautions:

- **Pregnancy and breastfeeding:** Consult your doctor before taking TELMICON-H TAB if you are pregnant, planning to become pregnant, or breastfeeding.
- **Kidney or liver problems:** Inform your doctor if you have a history of kidney or liver problems.
- **Electrolyte levels:** Your doctor may monitor your blood pressure and electrolyte levels regularly.
- Dehydration and low blood pressure: Avoid dehydration, and ensure adequate fluid intake.

#### **Drug Interactions:**

TELMICON-H TAB may interact with other medications, including:

- Other blood pressure medications
- Diuretics
- NSAIDs (Non-Steroidal Anti-Inflammatory Drugs)
- Lithium

Inform your doctor of all medications you are currently taking, including prescription, over-thecounter, and herbal supplements.

#### **Contraindications:**

- Allergy to Telmisartan, Hydrochlorothiazide, or any other components of the formulation
- Severe kidney problems
- Severe liver problems
- Pregnancy (second and third trimester)

### • Breastfeeding

#### Dos and Don'ts:

Do's:

- Take this medication as prescribed by your doctor.
- Maintain a healthy diet and lifestyle to support blood pressure management.
- Regularly monitor your blood pressure.

#### Don'ts:

- Do not exceed the prescribed dosage.
- Do not stop taking the medication without consulting your doctor.
- Avoid alcohol, as it can increase side effects.
- Avoid dehydration and excessive salt intake.

#### Before Taking TELMICON-H TAB:

- Inform your doctor if you have any allergies, especially to sulfonamide drugs.
- Tell your doctor if you have a history of heart problems, kidney disease, or electrolyte imbalances.
- This medication should not be taken during the second or third trimester of pregnancy.
- Always follow your doctor's advice regarding the dosage and use of this medication.

#### **Quality Assurance:**

TELMICON-H TAB is a **quality product from Econ Healthcare Pvt Ltd**, manufactured in compliance with high standards of safety and efficacy. For more information, you can contact us at:

#### Econ Healthcare Pvt Ltd

Address: 11, First Floor, Science City Road, Sola, Ahmedabad Phone: +91 635-6666-700 Email: info@econhealthcare.net Website: www.econhealthcare.net

#### **Disclaimer:**

This product information is for general reference. Always follow the instructions provided by your doctor. Do not alter the prescribed dosage. For any concerns or questions, consult your healthcare provider.

#### All rights reserved to Econ Healthcare.